



# Mechanistic modeling of metastasis: cancer at the organism scale

Sébastien Benzekry

## ► To cite this version:

Sébastien Benzekry. Mechanistic modeling of metastasis: cancer at the organism scale. International Society of Pharmacometrics (ISoP) workshop, Jul 2019, Paris, France. hal-02424424

**HAL Id: hal-02424424**

**<https://inria.hal.science/hal-02424424>**

Submitted on 27 Dec 2019

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Mechanistic modeling of metastasis: cancer at the organism scale

S. Benzekry  
Inria Bordeaux Sud-Ouest

ISoP workshop  
July 11th, 2019




# Can mathematical models be of help in oncology?




## Understand (biology)

- **Theoretical** framework for description of the process
- Test different **hypotheses** and reject non-valid ones



Exponential

$$\frac{dV}{dt} = aV$$



Power law

$$\frac{dV}{dt} = aV^\gamma$$


# Can mathematical models be of help in oncology?

## Predict and control (clinic)

- Predict tumor growth


### Understand (biology)

- **Theoretical** framework for description of the process
- Test different **hypotheses** and reject non-valid ones




Exponential

$$\frac{dV}{dt} = aV$$



Power law

$$\frac{dV}{dt} = aV^\gamma$$






# Can mathematical models be of help in oncology?

## Predict and control (clinic)


### Understand (biology)

- **Theoretical** framework for description of the process
- Test different **hypotheses** and reject non-valid ones




Exponential

$$\frac{dV}{dt} = aV$$



Power law

$$\frac{dV}{dt} = aV^\gamma$$




# Can mathematical models be of help in oncology?




## Understand (biology)

- **Theoretical** framework for description of the process
- Test different **hypotheses** and reject non-valid ones



Exponential



Power law


## Predict and control (clinic)

- Rational and individual design of **drug regimen**



**Empirical dosing**  
D1-D3-D5 50 mg

**Model-based dosing**  
D1-D2-D4 60-30-60 mg

PK




Efficacy



**Modeling-driven phase I trial  
(metronomic vinorelbine in NSCLC)**

Toxicity





# Tumor growth

# Tumor growth


What are **minimal** biological processes able to recover the **kinetics** of (experimental) tumor growth?

## Exponential




$$\frac{dV}{dt} = aV$$

## Gompertz



$$\frac{dV}{dt} = \alpha e^{-\beta t} V$$


## Logistic



## Competition

$$\frac{dV}{dt} = aV \left(1 - \frac{V}{K}\right)$$


## Power law



$$\frac{dV}{dt} = \alpha V^\gamma$$






# Population fit of tumor growth models






# Bayesian estimation for prediction of tumor age

## No a priori (MLE)



## With a priori (Bayesian)





— Fit  
- - - Prediction  
P.I.  
○ Data (predictions)  
● Data (fit)  
- - - Predicted time

# Metastasis

# Metastasis (μετά = beyond, στάσιζ = place)

- Metastases are the **main cause of death** (>90%) from solid cancers *Lambert and Weinberg, Cell, 2017*




## • Breast

- 94% of cases are local or regional at diagnosis but 30% will relapse *Pollard, N Eng J Med, 2016*
- Estimate the amount of **residual distant disease** at diagnosis in order to **personalize** the adjuvant (chemo)-therapy
- Avoid heavy **toxicities** for low risk patients

## • Lung

- 57% of cases are metastatic
- Decide whether to use **whole brain radiation therapy** or just (stereotactic) surgery
- Avoid cognitive impairment of the patient

*Steeg, Nat. Rev. Cancer, 2016*




*Institut Bergonié, Bordeaux*



# Some biological questions of interest to mathematical modeling


- **Minimal** model of metastatic dissemination and colonization able to reproduce the **systemic dynamics** of a solid cancer disease
- Investigate the relevance of several processes:
  - (early VS late event [Klein, Nat Rev Cancer, 2009](#))
  - (metastases of metastases [Gudem et al., Nature, 2015](#))
  - (dormancy [Chambers and Groom, Nat Rev Cancer, 2002](#))
  - **tumor-tumor interactions**
  - (cancer-immune interactions)
  - **differential effect of therapy** [Ebos et al. \(Kerbel\), Cancer Cell, 2009](#)
  - ((pre-)metastatic niche [Peinado et al. \(Lyden\), Nature, 2005](#))
  - systemic inhibition of angiogenesis [O'Reilly et al. \(Folkman\), Cell, 1990s](#)
  - (self-seeding [Norton, Nat Med, 2001](#))



*Talmadge and Fidler, Cancer Res, 2010*

# Metastasis: a forgotten major player in modeling

- The majority of mathematical modeling efforts in oncology are focused on (primary) **tumor growth**
- Existing models are based on a statistical, **biologically agnostic**, prediction of survival




# Metastasis: a forgotten major player in modeling

- The majority of mathematical modeling efforts in oncology are focused on (primary) **tumor growth**
- Existing models are based on a statistical, **biologically agnostic**, prediction of survival

## Clinical data


PT size, lymph node status, histological grade, molecular factors, proliferation indices,...

## Imaging data (Radiomics)




Aerts et al., Nat Commun, 2014

## Molecular data (-omics)




van't Veer et al., Nature, 2002


## Biologically-based model



## Prediction



## Diagnosis



## Prognosis

Simulation and individualization of therapy

Injection (or first cell)


Surgery

Pre-surgical

Post-surgical

PT growth law:  $g_p(V_p)=V_p(\alpha_p-\beta_p\ln(V_p))$


Primary  
Tumor  
(PT)



Dissemination law:  $d(V_p)=\mu(V_p)^\nu$

Metastases

Metastases growth law:  $g(V)=V(\alpha-\beta\ln(V))$



# Mathematical formalism

- Primary tumor  $V_p$  grows with rate  $g_p$  [size.day<sup>-1</sup>]

$$\frac{dV_p}{dt} = g_p(V_p), \quad V_p(t=0) = V_i$$

- Population** of metastases represented by a **density**  $\rho(t, v)$  [size<sup>-1</sup>] structured in **size**  $v$

- Secondary tumors **grow** in size with rate  $g(v)$



$$\partial_t \rho(t, v) + \partial_v (g(v) \rho(t, v)) = 0$$

- They are spread by the PT with **dissemination rate**  $d(V_p(t))$  [day<sup>-1</sup>]

$$g(V_0) \rho(t, V_0) = d(V_p(t)) \left( + \int_{V_0}^{+\infty} d(v) \rho(t, v) dv \right)$$

→ fast computation of the metastatic burden

$$M(t) = \int_{V_0}^{+\infty} v \rho(t, v) dv = \int_0^t d(V_p(t-s)) V(s) ds$$







Ebos lab

Roswell Park Cancer Institute




# Validation on animal data



- \* Data primary tumor
- Median model primary tumor
- - 10th and 90th percentiles model primary tumor
- Data metastatic burden
- Median model metastatic burden
- - 10th and 90th percentiles model metastatic burden

Nonlinear **mixed-effects**  
statistical model for inter-  
animal variability

$$\theta^i = \theta_{pop} + \eta_i, \quad \eta_i \sim \mathcal{N}(0, \omega^2)$$



⇒ **same growth** for PT and mets:  $\alpha_p = \alpha$ ,  $\beta_p = \beta$

# Differential effects of anti-angiogenic therapies between primary tumor and metastases



Cancer Cell  
Report

Published online: October 31, 2014

Research Article





EMBO  
Molecular Medicine

## Accelerated Metastasis after Short-Term Treatment with a Potent Inhibitor of Tumor Angiogenesis



John M.L. Ebos,<sup>1,2</sup> Christina R. Lee,<sup>1</sup> William Cruz-Munoz,<sup>1</sup> Georg A. Bjarnason,<sup>3</sup> James G. Christensen,<sup>4</sup> and Robert S. Kerbel<sup>1,2,\*</sup>

## Neoadjuvant antiangiogenic therapy reveals contrasts in primary and metastatic tumor efficacy



John M L Ebos<sup>1,2</sup>, Michalis Mastri<sup>1</sup>, Christina R Lee<sup>2</sup>, Amanda Tracz<sup>1</sup>, John M Hudson<sup>2</sup>, Kristopher Attwood<sup>3</sup>, William R Cruz-Munoz<sup>2</sup>, Christopher Jedszko<sup>2</sup>, Peter Burns<sup>2,4</sup> & Robert S Kerbel<sup>2,4</sup>



# Testing hypotheses for neo-adjuvant TKI effect



or







## Clinical application - Brain Metastasis from NSCLC

# Data of a NSCLC patient with brain mets


## Primary tumor size



## Metastases size




## Number of visible mets



## Lung CT



## Brain CT scan



First cancer cell

Diagnosis

treatment

Growth law:  $g_p(V_p) = V_p(\alpha_p - \beta_p \ln(V_p))$

Primary  
Tumor

**Delay?**

Dissemination law:  $d(V_p) = \mu(V_p)^\gamma$


Brain  
Metastases

**Same growth?**



Growth law:  $g(V) = V(\alpha - \beta \ln(V))$

**Secondary dissemination?**

**Dormancy?**



# The model with dormancy could describe best the data




## Objective function


Model	Patient 1	Patient 2
Base	5.51	2.53
Secondary	5.43	2.3
Delay	5.23	1.53
Dormancy	4.93	1.71
Diff. growth	4.95	1.79

Dormancy estimated to 133 days  $\pm$  4.2%

Model



Data







t = -55 months  
— 10 mm

\*

Primary  
tumor  
(lung)

Metastases (brain)


$t = -65.1$  months



# **Clinical application - Metastatic relapse in breast cancer**

# Clinical data of individual breast metastatic relapse

K = 25 features



outcome


n = 1057 patients (642 w/o adj)

menopausal_status	ER	PR	Ki67	HER2	HER2_intensity	CK56	EGFR	VIM	ALDH1
Post-ménopause	20	0	0	0	0	0	0	0	0
Ménopause	40	95	8	0	0	0	0	0	0
Activité génitale	87	10	26	0	0	0	0	80	0
Post-ménopause	100	100	8	0	0	0	0	0	0
Post-ménopause	0	0	16	82	+++	0	0	0	0
Activité génitale	100	95	12	0	0	0	0	0	1
Activité génitale	56	100	17	0	0	0	0	0	0
Activité génitale	57	85	23	100	+++	0	0	0	0
Post-ménopause	80	5	20	0	0	0	0	0	0
Post-ménopause	0	0	15	100	+++	0	5	0	0
Post-ménopause	100	80	10	0	0	0	0	0	0
Post-ménopause	30	0	5	0	0	0	0	0	0
Post-ménopause	0	0	15	40	+++	0	0	0	0
Ménopause	0	80	8	0	0	0	0	0	0
Post-ménopause	0	0	27	0	0	0	30	0	1
Post-ménopause	0	0	56	0	0	80	60	100	0
Activité génitale	50	92	2	1	+	0	0	0	0
Post-ménopause	0	47	5	0	0	0	0	80	0
Post-ménopause	65	0	10	0	0	0	0	60	0
Post-ménopause	100	50	11	0	0	0	0	0	0
Ménopause	20	100	0	0	0	0	0	0	0
Activité génitale	90	6	5	0	0	0	0	0	0
Post-ménopause	100	3	5	0	0	0	0	0	0
Activité génitale	0	0	6	0	0	0	0	0	0
Ménopause	80	100	5	0	0	0	0	0	0
Post-ménopause	100	85	25	0	0	0	0	0	0
Post-ménopause	10	45	11	13	+++	0	0	0	0
Post-ménopause	66	1	2	40	++	0	0	0	0

date_metastatic_relapse	date_death_or_loss
854	0
censored	
1999-02-04 00:00:00	1998-04-26 00:00:00
	1999-01-06 00:00:00
	1993-10-21 00:00:00
	2004-06-15 00:00:00
1990-09-04 00:00:00	2006-03-21 00:00:00
1993-02-08 00:00:00	2002-04-05 00:00:00
1999-12-15 00:00:00	2006-11-23 00:00:00
	1997-11-02 00:00:00
	2006-09-15 00:00:00
1995-03-08 00:00:00	2003-03-29 00:00:00
	2003-12-02 00:00:00
1990-04-06 00:00:00	1990-10-20 00:00:00
1994-11-02 00:00:00	2003-10-14 00:00:00
	2004-11-19 00:00:00
	2006-09-30 00:00:00
	1991-07-31 00:00:00
	1995-07-05 00:00:00
	2005-12-08 00:00:00
	2005-05-23 00:00:00
	2007-09-06 00:00:00
	2006-09-06 00:00:00
	2001-02-09 00:00:00
	2005-07-23 00:00:00
	1993-08-12 00:00:00
	1995-01-01 00:00:00
	1993-02-08 00:00:00



# Mechanistic modeling of time to relapse



- Number of metastases with size larger than the visible size  $V_{vis}$  ( $= 0.5$  cm)

$$N_{vis}(t) = \int_{V_{vis}}^{+\infty} \rho(t, v) dv = \int_0^{t-\tau_{vis}} d(V_p(t)) dt$$

$\tau_{vis}$  = time to reach  $V_{vis}$

- Time to relapse (TTR) defined as the time elapsed from diagnosis to the appearance of a first visible metastasis

$$TTR = \inf \{t > 0 : N_{vis}(t_{diag} + t) \geq 1\}$$

- Parameter  $\beta$  fixed such that carrying capacity  $= 10^{12}$  cells

# Mixed-effects statistical model

$$\ln(T^i) = \ln(TTR(V_{diag}^i; \alpha^i, \mu^i)) + \varepsilon^i, \quad \varepsilon^i \sim \mathcal{N}(0, \sigma^2) \quad (\text{Observation model})$$

$$S(t|\alpha^i, \mu^i) = \mathbb{P}(T^i > t|\alpha^i, \mu^i)$$


Survival function to account for **censoring** in the likelihood

$$\ln(\alpha^i) = \ln(\alpha_{pop}) + \eta_{\alpha}^i, \quad \eta_{\alpha}^i \sim \mathcal{N}(0, \omega_{\alpha}^2)$$

$$\ln(\mu^i) = \ln(\mu_{pop}) + \eta_{\mu}^i, \quad \eta_{\mu}^i \sim \mathcal{N}(0, \omega_{\mu}^2)$$

fixed effects

random effects




Lavielle, CRC press, 2014

Likelihood maximization performed using the *saemix* R package (SAEM algorithm)

Comets, Lavenu, Lavielle, J Stat Softw, 2017




## Descriptive power: fit to the data



—+— Kaplan–Meier estimate

— Model fit

Parameter	Estimate	r.s.e. (%)
$\log \alpha_{pop}$	-6.337	12.635
$\log \mu_{pop}$	-26.814	3.683
$\sigma$	0.542	28.409
$\omega_{\alpha}$	3.373	36.435
$\omega_{\mu}$	3.780	15.876




## Predictive power: covariates


$$\ln(\mu^i) = \ln(\mu_{pop}) + \beta_{\mu}^T \mathbf{x}_{\mu}^i + \eta_{\mu}^i, \quad \eta_{\mu}^i \sim \mathcal{N}(0, \omega_{\mu}^2)$$

$$\ln(\alpha^i) = \ln(\alpha_{pop}) + \beta_{\alpha}^T \mathbf{x}_{\alpha}^i + \eta_{\alpha}^i, \quad \eta_{\alpha}^i \sim \mathcal{N}(0, \omega_{\alpha}^2)$$

c-index = 0.62 (10-folds cross-validation)





Parameter	Estimate	r.s.e. (%)	p-value
$\log \alpha_{pop}$	-8.883	10.151	
$\beta_{\text{Ki67}, \alpha}$	0.086	27.376	$2.59 \cdot 10^{-4}$
$\beta_{\text{HER2}, \alpha}$	0.029	42.833	0.020
$\beta_{\text{CD44}, \alpha}$	0.011	60.816	0.1
$\beta_{\text{TRIO}, \alpha}$	0.016	58.119	0.085
$\log \mu_{pop}$	-26.342	3.696	
$\beta_{\text{EGFR}, \mu}$	0.039	47.527	0.035
$\sigma$	0.606	23.104	
$\omega_{\alpha}$	2.062	22.715	
$\omega_{\mu}$	3.563	16.759	



Patient ID	Tumor size (mm)	Ki67	HER2	CD44	TRIO	EGFR	Observed TTR (cens)	Predicted TTR	Prediction error (days)
47	20	32	100	0	0	50	739 (1)	447	292
255	25	1	60	90	60	0	1812 (1)	1609	203
143	18	60	0	50	0	0	2798 (1)	434	2364
12	10	20	0	23	0	0	5970 (0)	$+\infty$	-

$t = -11.6$  years





$t = -141$  months  
— 10 mm



Primary tumor

Metastases






# Diagnosis personalization

Virtual patient with


median  $\mu$



Nothing visible

Virtual patient with

large  $\mu$  (90th prct)



Breast cancer patient with primary tumor of 4.32 cm

# Chemotherapy personalization

## Toward taking into account inter-individual variability

- 10 virtual patients with breast cancer detected at stage **T1N0M0**. Size of the tumor at detection: 1 gram.
- Chemotherapy : 6 cycles of 21 days (75mg of DTX and 100mg d'EPI) *Viens & al., J. Clin. Onc. 2001*
- Number of visible metastases ( $> 10^8$  cel.) 5 years after the end of the treatment

## Adapt the number of cycles to each patient

$\mu$	Protocole de Viens		
	6 cycles 126 days	9 cycles 189 days	12 cycles 252 days
$1.3 \times 10^{-7}$	<b>1</b>	0	★
$2.7 \times 10^{-7}$	<b>2</b>	1	0
$4.0 \times 10^{-7}$	<b>3</b>	2	1
$6.1 \times 10^{-7}$	<b>5</b>	4	3

# Acknowledgements

## Biology

- Preclinical data of ortho-surgical animal models of metastases

\*J. Ebos

\*A. Tracz

\*M. Mastri



**Roswell Park Cancer Institute, Buffalo, NY, USA**

- Beva + cytotoxics study



Dr. J. Ciccolini

## Clinic

- Brain metastasis from lung tumors

\*F. Chomy

**Bergonié Institute, Bordeaux, FR**



\*F. Barlesi

\*X. Muracciole

**AP-HM, Marseille, FR**

## Modeling

\*C. Nicolò



\*D. Barbolosi





*That's all Folks!*

**Thanks for listening!**